EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6977930".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L2	545	packet and header and (tail or trailer) and ((divid$4 or split$5 or break$4 or chop $4 or dissect$5 or subdivid $7 or segment$5 or partition $5) with ((trailor or tail)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L3	2	"20030158940".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L4	4	"7222228".pn. or "6356951". pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L5	281	packet and header and (tail or trailer) and ((divid$4 or split$5 or break$4 or chop $4 or dissect$5 or subdivid $7 or segment$5 or partition $5) with ((trailor or tail))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L6	281	packet and header and (tail or trailer) and (((divid$4 or split$5 or break$4 or chop $4 or dissect$5 or subdivid $7 or segment$5 or partition $5)) with ((trailor or tail))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03

L7	631	packet and header and (tail or trailer) and (((divid$4 or split$5 or break$4 or chop $4 or dissect$5 or subdivid $7 or segment$5 or partition $5)) with ((trailer or tail))) and (@rlad< "20030215" or @ad< "20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L8	14	(packet and header and (tail or trailer)).ab. and (((divid $4 or split$5 or break$4 or chop$4 or dissect$5 or subdivid$7 or segment$5 or partition$5)) with ((trailer))) and (@rlad< "20030215" or @ad< "20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L9	2	"6522730".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L10	2	"20050018637".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L11	10	VLAN with ((hand adj2 off) or (hand adj2 over))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L12	2	"20060002386".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L13	21	VLAN same ((hand adj2 off) or (hand adj2 over))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L14	11	(VLAN same ((hand adj2 off) or (hand adj2 over))) not L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03

L15	2	"20040047320".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L16	2	"20050113086".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L17	0	(header with trailer with seperat$5) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L18	127	(header with trailer with separat$5) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L19	58	(header with trailer with pointer) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L20	37	(header with (includ$4 or contain$4) with trailer with pointer) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L21	2	"6977930".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L22	545	packet and header and (tail or trailer) and ((divid$4 or split$5 or break$4 or chop $4 or dissect$5 or subdivid $7 or segment$5 or partition $5) with ((trailor or tail)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03

L23	2	"20030158940".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L24	4	"7222228".pn. or "6356951".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L25	281	packet and header and (tail or trailer) and ((divid$4 or split$5 or break$4 or chop $4 or dissect$5 or subdivid $7 or segment$5 or partition $5) with ((trailer or tail))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L26	281	packet and header and (tail or trailer) and (((divid$4 or split$5 or break$4 or chop $4 or dissect$5 or subdivid $7 or segment$5 or partition $5)) with ((trailor or tail))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L27	631	packet and header and (tail or trailer) and (((divid$4 or split$5 or break$4 or chop $4 or dissect$5 or subdivid $7 or segment$5 or partition $5)) with ((trailer or tail))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L28	358	packet and header and (tail or trailer) and (((divid$4 or split$5 or break$4 or chop $4 or dissect$5 or subdivid $7 or segment$5 or partition $5)) with ((trailer))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L29	14	(packet and header and (tail or trailer)).ab. and (((divid $4 or split$5 or break$4 or chop$4 or dissect$5 or subdivid$7 or segment$5 or partition$5)) with ((trailer))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03

L30	2	"6522730".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L31	2	"20050018637".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L32	10	VLAN with ((hand adj2 off) or (hand adj2 over))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L33	2	"20060002386".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:03
L34	21	VLAN same ((hand adj2 off) or (hand adj2 over))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L35	11	(VLAN same ((hand adj2 off) or (hand adj2 over))) not L32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L36	2	"20040047320".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L37	2	"20050113086".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04

L38	0	(header with trailer with seperat$5) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L39	127	(header with trailer with separat$5) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L40	58	(header with trailer with pointer) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L41	37	(header with (includ$4 or contain$4) with trailer with pointer) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L42	358	packet and header and (tail or trailer) and (((divid$4 or split$5 or break$4 or chop$4 or dissect$5 or subdivid$7 or segment$5 or partition$5)) with ((trailer))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L43	184	packet and cell and (header or preamble) and (tail or trailer) and (((divid$4 or split$5 or break$4 or chop$4 or dissect$5 or subdivid$7 or segment$5 or partition$5)) with ((trailer))) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L44	93	packet and cell and (header or preamble) and (tail or trailer) and (((divid$4 or split$5 or break$4 or chop$4 or dissect$5 or subdivid$7 or segment$5 or partition$5)) with ((trailer))) and IP and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04

L45	89	packet and cell and (header or preamble) and (tail or trailer) and (((divid$4 or split $5 or break$4 or chop$4 or dissect$5 or subdivid$7 or segment$5 or partition$5)) with ((trailer))) and IP and ATM and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L46	48	packet and cell and (header or preamble) and (tail or trailer) and (((divid$4 or split $5 or break$4 or chop$4 or dissect$5 or subdivid$7 or segment$5 or partition$5)) with ((trailer))) and IP and ATM and pointer and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L47	120	(ATM adj2 IP adj2 ATM) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L48	2	"6046999".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L49	2710	(header adj (process$5)) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L50	407	(header adj (process$5)). ab. and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L51	32	(header adj (process$5)). ab. and payload.ab. and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04

L52	7	(header adj (process$5)). ab. and payload.ab. and IP and (@rlad< "20030215" or @ad< "20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L53	249	(header adj (process$5)) and (payload with (buffer or memory)) and IP and (@rlad< "20030215" or @ad< "20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L54	31	(header adj (process$5)) and (payload with (buffer or memory) with pointer) and IP and (@rlad< "20030215" or @ad< "20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L55	10	(atm adj ip adj atm) and (@rlad< "20030215" or @ad< "20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L56	20641	(atm with switch$4) and (@rlad< "20030215" or @ad< "20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L57	1389	((atm with switch$4) with IP with rout4) and (@rlad< "20030215" or @ad< "20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L58	678	((atm with switch$4) with (IP adj rout$4)) and (@rlad< "20030215" or @ad< "20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L59	575	((atm adj switch$4) with (IP adj rout$4)) and (@rlad< "20030215" or @ad< "20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04

L60	59	(((atm adj switch$4) with (IP adj rout$4)) same (qos or classify$5)) and (@rlad<"20030215" or @ad<"20030215")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L61	26	MPLS adj RING	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L62	46	MPLS adj2 RING	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L63	2	"7174134".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L64	6	"7400901".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:04
L65	6	"7307988".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:06
L66	2	"6967959".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:09
L67	4	"7415020".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/03 11:14

| L68 | 2 | "7756131".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/01/03 11:15 |
| L69 | 2 | "7672652".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/01/03 11:16 |

EAST Search History (Interference)

<This search history is empty>

1/3/2011 1:00:07 PM
C:\ Documents and Settings\ sahmed\ My Documents\ EAST\ Workspaces\ 10777150-Oct-29-2008-Chu_case.wsp